

# TOSHIBA

**e-STUDIO2528A**

**e-STUDIO3028A**

**e-STUDIO3528A**

**e-STUDIO4528A**

**e-STUDIO5528A**

**e-STUDIO6528A**

## Datasheet

---

- High-performance A3 monochrome multi-functional systems with speed up to 65 ppm for demanding print, copy, scan, and fax applications
- Wide range of integration options through powerful e-BRIDGE Next system platform
- High level of usability due to individually designable user interface as well as additional individual programming
- Maximum protection of sensitive data through numerous security functions such as hard disk encryption and access authorisations
- Environmental protection at the highest level: low energy consumption as well as energy-saving mode help to preserve resources



# Specifications

## General

<b>Print &amp; Copy Speed</b>	A4: 25/30/35/45/55/65 ppm A3: 16/16/25/25/27/30 ppm
<b>Warm-up Time</b>	~ 14/14/16/16/20/20 seconds from low power mode
<b>Paper Size &amp; Weight</b>	Cassette <sup>(1)</sup> : A5R-A3, 60-256 g/m <sup>2</sup> Cassette <sup>(2)</sup> : A5R-A3 / A5R-320 x 460 mm, 60-300 g/m <sup>2</sup> Bypass <sup>(1)</sup> : 100x148 mm-A3, 52-256g/m <sup>2</sup> Bypass <sup>(2)</sup> : 100x148 mm-320 x 460 mm, 52-300g/m <sup>2</sup> Banner paper: up to 305 x 1,200 mm, 90-163 g/m <sup>2</sup>
<b>Paper Capacity</b>	Cassettes: 2x 550 sheets Bypass: 1x 100 sheets Max. 5,200 sheets
<b>Inner Output Tray</b>	400-sheet capacity <sup>(2)</sup> , 550-sheet capacity <sup>(1)</sup>
<b>Automatic Duplex</b>	A5R-A3, 60-256 g/m <sup>2</sup>
<b>Controller Type</b>	Toshiba e-BRIDGE Next
<b>Control Panel</b>	26 cm (10.1") Multi-Touch Colour Panel
<b>Memory</b>	Security SSD 128 GB <sup>(1),(3)</sup> , 4 GB RAM Security SSD 128 GB <sup>(2),(3)</sup> , 6 GB RAM
<b>Interface</b>	10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN* (IEEE802.11b/g/n), Bluetooth*, Wi-Fi Direct*
<b>Dimension &amp; Weight</b>	For e-STUDIO2528A/3028A: 585 x 586 x 787mm (W x D x H), ~55kg For e-STUDIO3528A/4528A: 585 x 586 x 787mm (W x D x H), ~57kg For e-STUDIO5528A/6528A: 585 x 641 x 787mm (W x D x H), ~72 kg
<b>Starting Kit</b>	Drum, Developer <sup>(2)</sup> , Waste Toner Box <sup>(2)</sup>

## Print

<b>Resolution</b>	600 x 600 dpi, 1 bit, equiv. 2,400 x 600 dpi (with PostScript Driver) <sup>(1)</sup>  1200 dpi x 1200 dpi, 2 bit, equiv. 3,600 x 1,200 dpi (with PostScript Driver) <sup>(2)</sup>
<b>Page Description Language</b>	PCL5e, PCL5c, PCL6 (PCL XL), XPS, PDF, and PostScript 3
<b>Supported Systems</b>	Windows 11/10/8.1, Windows Server 2022/2019/2016/2012 R2/2012 (64bit), Mac OS 10.12-12, Linux/Unix, Citrix, SAP, AS/400
<b>Network Protocols</b>	TCP/IP (IPv4/IPv6), NetBios over TCP/IP
<b>Mobile Printing</b>	e-BRIDGE Print & Capture, Mopria® Print Service, AirPrint
<b>Print Functions</b>	Universal Printer Driver, Driver Templates, Driver plug-ins*, Print from USB, Hold Print, Tandem Printing, E-Mail direct printing

## Scan

<b>Resolution</b>	Max. 600 x 600 dpi
<b>Scan Speed</b>	Reversing Automatic Document Feeder (RADF)*: up to 73 ppm (300 dpi) in colour and monochrome Dual Scan Document Feeder(DSDF)*: up to 240ppm (300dpi) in colour and monochrome
<b>Scan Modes</b>	Auto-Colour (ACS), Colour, Greyscale, Monochrome
<b>File Formats</b>	JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A, PDF/A-2, Searchable PDF* (and other formats like DOCX, XLSX)
<b>Scan Functions</b>	WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, Local), Meta Scan*, OCR scan, Scan to Box (e-Filing), WIA, TWAIN

## Copy

<b>Resolution</b>	Scan: 600 x 600 dpi Print: 600 x 600 dpi, 1 bit <sup>(1)</sup> / 600 x 600 dpi, 5 bit <sup>(2)</sup> equiv. 2,400 x 600 dpi (with smoothing)
<b>First Copy Output Time</b>	~ 4.3/4.3/3.6/3.6/4.3/4.3 seconds
<b>Zoom</b>	Platen*: 25-400%, RADF*/DSDF*: 25-200 %
<b>Copy Modes</b>	Text, Text/Photo, Photo, Custom
<b>Copy Functions</b>	Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode

## Fax\*

<b>Communication</b>	Super G3, G3 - (opt. 2 <sup>nd</sup> line)
<b>Transmission Speed</b>	~ 3 seconds per page
<b>Compression</b>	JBIG, MMR, MR, MH
<b>Fax Memory</b>	1 GB Transmission/Reception
<b>Network-Fax</b>	Driver for Windows 11/10/8.1, Windows Server 2022/2019/2016/Server 2012 R2/Server 2012 (64bit)
<b>Incoming Fax Routing</b>	To shared folders (SMB, FTP), E-Mail, e-Filing

## System & Security

<b>Device Management</b>	e-BRIDGE Fleet Management System*, Top Access for remote administration and configuration
<b>System Features</b>	e-Filing document server for secure storage, Document distribution and Print-on-Demand (one public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings and workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform, Embedded Web Browser, Job Skip, PCL Barcode printing, e-BRIDGE Plus embedded apps
<b>Accounting &amp; Security</b>	Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader*, Private Print, Standard data encryption with Security SSD, Data Overwrite function when optional HDD is chosen, IP and MAC address filter, Port Filter, Support of SSL and IPsec <sup>(1)</sup> protocols, IEEE802.1x support, CC certified (ISO/IEC15408) with HCD-PP v1.0*, Scan to Secure PDF



<sup>(1)</sup> For e-STUDIO2528A/3028A/3528A/4528A

<sup>(2)</sup> For e-STUDIO5528A/6528A

<sup>(3)</sup> 1 GB = 1 billion bytes; the actual formatted capacity is less.

Available capacity will also be less if software applications are pre-installed.


\* Optional

## Options

REVERSING AUTOMATIC DOCUMENT FEEDER-MR-3033	100-sheet capacity, A5R-A3, 35-157 g/m <sup>2</sup>
DUAL SCAN DOCUMENT FEEDER-MR-4010	300-sheet capacity, A5R-A3, 35-209 g/m <sup>2</sup>
DUAL SCAN DOCUMENT FEEDER WITH DOUBLE FEED DETECTION-MR-4020	300-sheet capacity, A5R-A3, 35-209 g/m <sup>2</sup>
PAPER FEED PEDESTAL-KD-1072	550-sheet capacity (1 Cassette), A5R-A3, 60-256 g/m <sup>2</sup> <sup>(1)</sup> , 60-300 g/m <sup>2</sup> <sup>(2)</sup>
DRAWER MODULE -MY-1052	For Paper Feed Pedestal 550-sheet capacity (1 Cassette) A5R-320 x 460 mm, 60-300 g/m <sup>2</sup>
ENVELOPE DRAWER-MY-1053 (can also be used for standard paper)	For Paper Feed Pedestal or 2 <sup>nd</sup> Cassette Envelopes: 50-envelope capacity (1 Cassette), 100 x 162mm - 240 x 380 mm, 60-85 g/m <sup>2</sup> Paper: 550-sheet capacity, A5R-A4R, 60-256 g/m <sup>2</sup> <sup>(1)</sup> , 60-300 g/m <sup>2</sup> <sup>(2)</sup>
LARGE CAPACITY FEEDER-KD-1073A4	2,000 sheets, A4, 60-256 g/m <sup>2</sup> <sup>(1)</sup> , 60-300 g/m <sup>2</sup> <sup>(2)</sup>
EXTERNAL LARGE CAPACITY FEEDER-MP-2002A	2,000 sheets, A4, 60-256 g/m <sup>2</sup> <sup>(1)</sup> , 60-300 g/m <sup>2</sup> <sup>(2)</sup>
INNER FINISHER-MJ-1048	2 trays, 600-sheet capacity 50-sheet multi-position stapling A4R-A3, 60-105 g/m <sup>2</sup> (stapling mode)
MULTI-STAPLE FINISHER-MJ-1113	2 trays, 2,250-sheet capacity 65-sheet multi-position stapling A4R-A3, 60-105 g/m <sup>2</sup> (stapling mode)
SADDLE STITCH FINISHER-MJ-1114	2 trays, 3,250-sheet capacity Saddle-stitched booklets of up to 60 pages 65-sheet multi-position stapling A4R-A3, 60-105 g/m <sup>2</sup> (stapling mode)
HOLE PUNCH UNIT-MJ-6107E, MJ-6107F, MJ6107S MJ-6011E, MJ-6011F, MJ6011S	Available in 2- and 4- holes - for Finisher MJ-1113/MJ-1114 - for Finisher MJ-1048

PLATEN COVER-KA-5005PC
DESK-MH-5005
HARD DISK DRIVE 320 GB <sup>(3)</sup> (FIPS 140-2 STANDARD incl. Data Overwrite)-GE-1260
SECURITY SOLID STATE DRIVE 512 GB <sup>(3)</sup> -GE-1280
WORK TRAY-KK-5005
JOB SEPARATOR-MJ-5015
USB HUB-GR-1420
ACCESSORY TRAY-GR-1330
PANEL TEN-KEY-GR-1340
WIRELESS LAN/BLUETOOTH MODULE (incl. Wi-Fi Direct)-GN-4030-A3
CARD READERS
ACCESSIBLE ARM-KK-2560
IPsec ENABLER (LICENCE)-GP-1080Node
MULTI STATION PRINT ENABLER (LICENCE)-GS-1090Node
META SCAN ENABLER (LICENCE)-GS-1010Node
UNICODE FONT ENABLER (LICENCE)-GS-1007Node
BRIDGE KIT-KN-5005

## Configuration



\* Fore-STUDIO2528A/3028A/3528A/4528A

\*\* Not in combination with External LCF

## About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

### **Toshiba Tec Germany Imaging Systems GmbH**

Carl-Schurz-Str. 7  
41460 Neuss  
Germany

### **Telephone**

+49 2131-1245-0

### **Fax**

+49 2131-1245-402

### **Website**

[www.toshibatec.eu](http://www.toshibatec.eu)

**Together Information** is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry-specific solutions, all of which reflect Toshiba's commitment to the future of the planet.

