

e-STUDIO2010AC

e-STUDIO2510AC

Datasheet

- > Toshiba's multifunctional A3 colour systems offer all features for small- and medium-sized companies needs.
- > Via a large and fully customisable user interface all functions are easy to access and help increase efficiency.
- > Both models deliver impressive document output at a speed of up to 25 ppm and have been designed to support modern document workflows.
- > Integrate additional functions and applications thanks to Toshiba's individual programming.⁵⁾



Small and medium workgroups looking for quality colour will appreciate the fact that the e-STUDIO2510AC series is easy to integrate into customer workflow needs.

The high-quality 26 cm (10.1") tablet-style multi-touch screen can be personalised according to users preferences and needs and enables easy access to all functions and workflows.

Mobile printing is important and Toshiba's new systems give you full flexibility to do so. All models can easily connect to mobile devices via AirPrint, Google Cloud Print or the Mopria Print Service.

All e-BRIDGE Next models fulfill the highest security standards to protect your data from unwanted access. So whether you are looking for document security, device security or access security - our new systems have it all.

SPECIFICATIONS

General

Print & Copy Speed	A4: 20/25 ppm A3: 10/12 ppm
Warm-up Time	~ 13 seconds from low power mode
Paper Size & Weight	Cassette: A5R-A3, 60-163 g/m ² Bypass: 100 x 148 mm-A3, 60-209 g/m ²
Paper Capacity	Cassette: 1x 250 sheets, Bypass: 1x 100 sheets, max. 2,900 sheets
Inner Output Tray	550-sheet capacity
Automatic Duplex	A5R, A4R, A4, A3, special formats ⁴⁾ , 60-163 g/m ²
Controller Type	Toshiba e-BRIDGE Next
Control Panel	26 cm (10.1") Multi-Touch Colour Panel
Memory	Toshiba Secure HDD 320 GB ²⁾ , Standard: 2 GB RAM, max. 4 GB RAM ¹⁾
Interface	10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN ¹⁾ (IEEE802.11b/g/n), Bluetooth ¹⁾ , Wi-Fi Direct ¹⁾
Dimensions & Weight	575 x 585 x 662 mm (W x D x H), ~ 57 kg
Starter-Kit	Drums, developer and waste toner box

Print

Resolution	600 x 600 dpi (5 bit), 600 x 1,200 dpi (1 bit) with PostScript driver only
Page Description Language	PCL5e, PCL5c, PCL6 (PCL XL), XPS, and PostScript 3 compatible
Supported Systems	Windows 10/8.1/7/Server 2008 (32/64 bit), Windows Server 2016/Server 2012 R2/Server 2012/ Server 2008 R2 (64 bit), Mac OS X 10.6.8-10.13, Linux/Unix, Citrix, Novell SLES, SAP, AS/400
Network Protocols	TCP/IP (IPv4/IPv6), IPX/SPX, EtherTalk, NetBios over TCP/IP
Colour Modes	Auto-Colour (ACS), Colour, Twin Colour, Monochrome
Colour Settings	ICC profile colour management, RGB substitution, Brightness, Saturation, Contrast, Colour Balance
Mobile Printing	e-BRIDGE Print & Capture, AirPrint, Mopria Print Service, Google Cloud Print
Print Functions	Universal Printer Driver, Driver Templates, Print from USB, Hold print, Tandem printing, E-Mail direct printing

Scan

Resolution	max. 600 x 600 dpi
Scan Speed	Reversing Automatic Document Feeder (RADF) ¹⁾ : up to 73 ipm (300 dpi) in colour and monochrome
Scan Modes	Auto-Colour (ACS), Colour, Greyscale, Monochrome
File Formats	JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A (A-1, A-2), Searchable PDF ¹⁾ (and other formats like DOCX, XLSX) ¹⁾
Scan Functions	WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, IPX/SPX, Local), Meta Scan ¹⁾ , OCR scan ¹⁾³⁾ , Scan to Box (e-Filing), WIA, TWAIN

Copy

Resolution	Scan: 600 x 600 dpi Print: 600 x 600 dpi (5 bit), equiv. 2,400 x 600 dpi with smoothing (monochrome only)
First Copy Output Time	Colour: ~ 9.5 seconds Monochrome: ~ 7.1 seconds
Zoom	Platen: 25-400%, RADF:25-200% ¹⁾
Copy Modes	Text, Text/Photo, Photo, Printed Image, Map, Image Smoothing
Colour Modes	Auto-Colour (ACS), Full Colour, Twin Colour, Mono Colour, Monochrome
Colour Settings	Hue, Saturation, Colour Balance, RGB adjustment, 5 one-touch modes
Copy Functions	Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode

Fax¹⁾

Communication	Super G3, G3 - (opt. 2 nd line), Internet Fax T.37 ³⁾
Transmission Speed	~ 3 seconds per page
Compression	JBIG, MMR, MR, MH
Fax Memory	1 GB Transmission/Reception
Network-Fax	Driver for Windows 10/8.1/7/Server 2008 (32/64 bit), Windows Server 2016/Server 2012 R2/Server 2012/ Server 2008 R2 (64 bit)
Incoming Fax Routing	To shared folders (SMB, FTP, IPX/SPX), E-Mail, e-Filing

System & Security

Device Management	e-BRIDGE Fleet Management System ¹⁾ , Top Access for remote administration and configuration
System Features	e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings or workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform ¹⁾ , Embedded Web Brow- ser, Job Skip, PCL Barcode printing,
Accounting & Security	Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader ¹⁾ , Private print, Standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler ¹⁾ , IP and MAC address filter, Port filter, Support of SSL and IPsec ¹⁾ protocols, IEEE802.1x support, CC certified (ISO/ IEC15408) with HDC-PP v1.0 ¹⁾ , Scan to Secure PDF



¹⁾ Optional

²⁾ 1 GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed.

³⁾ Requires additional memory.

⁴⁾ See technical manuals.

⁵⁾ Expected to be available from spring 2019. Service may vary from country to country.

OPTIONS

REVERSING AUTOMATIC DOCUMENT FEEDER – MR-3031-B

100-sheet capacity, A5R-A3, 35-157 g/m²

PAPER FEED UNIT – MY-1047-B

Cassette: 1x 550-sheet capacity, A5R-A3, 60-163 g/m²

PAPER FEED PEDESTAL – KD-1058-B

Cassette: 1x 550-sheet capacity, A5R-A3, 60-163 g/m²

DRAWER MODULE – MY-1048-B

For Paper Feed Pedestal
Cassette: 1x 550-sheet capacity, A5R-A3, 60-163 g/m²

ENVELOPE DRAWER – MY-1049-B
(can also be used for normal paper)

For Paper Feed Pedestal
Envelopes: 50-envelope capacity, 100 x 162 mm-240 x 380 mm, 60-85 g/m²
Paper: Cassette: 1x 550-sheet capacity, A5R-A4R, 60-163 g/m²

LARGE CAPACITY FEEDER – KD-1059A4-B

2,000-sheet capacity, A4, 64-105 g/m²

INNER FINISHER – MJ-1042-B

2 trays, 600-sheet capacity
50-sheet multi-position stapling
Stapling mode: A4R-A3, 60-105 g/m²

SADDLE-STITCH FINISHER – MJ-1110-B

2 trays, 3,250-sheet capacity
50-sheet multi-position stapling
5-sheet center folding
Saddle-stitched booklets of up to 60 pages
Stapling mode: A4R-A3, 60-105 g/m²

HOLE PUNCH UNIT –

MJ-6011E/MJ-6011F/MJ-6011S, MJ-6105E/MJ-6105F/MJ-6105S

Available in:
2 holes (E), 4 holes (F), 4 holes (S)

PLATEN COVER – KA-5005PC

DESK – MH-5005

HARD DISK DRIVE 320 GB¹⁾ (FIPS 140-2 STANDARD) – GE-1230

4 GB RAM MEMORY – GC-1410

JOB SEPARATOR – MJ-5014

WORK TRAY – KK-5005

USB HUB – GR-1310

ACCESSORY TRAY – GR-1330

PANEL TEN-KEY OPTION – GR-1340

FAX BOARD – GD-1370EU

WIRELESS LAN / BLUETOOTH MODULE (incl. Wi-Fi Direct) – GN-4020

e-BRIDGE ID-GATE – TWN4

DATA OVERWRITE ENABLER – GP-1070

IPsec ENABLER – GP-1080

EMBEDDED OCR ENABLER³⁾ – GS-1080, GS-1085

MULTI STATION PRINT ENABLER – GS-1090, GS-1095


HARD COPY SECURITY PRINTING KIT – GP-1190A

META SCAN ENABLER – GS-1010

UNICODE FONT ENABLER – GS-1007

ACCESSIBLE ARM – KK-2560

CONFIGURATION



About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage, and display information.

For more information please contact us:

Toshiba Tec Germany Imaging Systems GmbH

Carl-Schurz-Str. 7
41460 Neuss
Germany

Telephone

+49 2131-1245-0

Fax

+49 2131-1245-402

Website

www.toshibatec.eu



Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry specific solutions, all of which reflect Toshiba's commitment to the future of the planet.

